





# MODULAR ROOFS



## Bella Sara

## ETERNALLY BEAUTIFUL.



Total sheet width:	1184-1188 mm
Effective sheet width:	1150 mm
Distance between the wave peaks:	191 mm
Total sheet length:	735 mm
Effective sheet length:	700 mm
Module length:	350 mm
Total height:	59 mm
Step height:	35 mm
Wave height:	24 mm
Surface covered by the sheet:	0,805 m <sup>2</sup>
Sheet thickness:	0,5 mm
Zinc coating:	min. 275 g/m <sup>2</sup>
Sheet weight:	max 3,7 kg
Pallet dimensions:	1200 x 800 x 990 mm
Sheets per pallet:	350 pcs.
Layers/sheets per pallet:	10/35 pcs.
Effective m <sup>2</sup> per pallet:	281,75 m <sup>2</sup>
Pallet weight:	~1320 kg
Minimum roof pitch:	9° (15%)
Recommended roof pitch:	>25%




**STRENGTHENED  
TRANSVERSE  
FOLDS**



**TUCKED-DOWN  
BOTTOM EDGE**



**PRE-DRILLED  
MOUNTING  
HOLES**



Product has received EUIPO registration certificate

Available coatings: X-Matt GreenCoat Crown BT, D-Matt, IDEAL-SATIN GreenCoat Pural BT, IDEAL-MATT GreenCoat Pural BT matt




# MODULAR ROOFS



## DEDICATED ACCESSORIES



SEE MORE



Drift - Universal outer modular barge flashing  
Drift - Universal bottom modular barge flashing



Dry verge Bella Sara  
Drift - Universal bottom modular barge flashing



Ridge cap GS-LUX





# DEDICATED ACCESSORIES



**Dry verge**  
Venecja

Width: 372 mm  
Height: 189 mm  
Depth: 82 mm  
Sheet thickness: 0,7 mm  
Quantity per package: 12 pcs.  
Colors: 10



**Dry verge**  
Murano


Width: 364 mm  
Height: 193,3 mm  
Depth: 147,8 mm  
Sheet thickness: 0,7 mm  
Quantity per package: 6 pcs.  
Colors: 10



**Dry verge**  
Bella Sara

Width: 360 mm  
Height: 181 mm  
Depth: 90 mm  
Sheet thickness: 0,7 mm  
Quantity per package: 8 pcs.  
Colors: 10

Material: Steel sheet S280 galvanized Z275 with organic coatings X-MATT SP30, D-MATT SP35





**Drift 150**  
Universal bottom modular  
barge flashing

Total width: **384 mm**  
Effective width: **350 mm**  
Height: **150 mm**  
Depth: **40 mm**  
Sheet thickness: **0,5 mm**  
Quantity per package: **20 pcs.**  
Colors: **8**  
Left, Right



**Drift 180**  
Universal bottom modular  
barge flashing

Total width: **384 mm**  
Effective width: **350 mm**  
Height: **180 mm**  
Depth: **40 mm**  
Sheet thickness: **0,5 mm**  
Quantity per package: **20 pcs.**  
Colors: **8**  
Left, Right



**Drift 270**  
Universal bottom modular  
barge flashing

Total width: **384 mm**  
Effective width: **350 mm**  
Height: **270 mm**  
Depth: **40 mm**  
Sheet thickness: **0,5 mm**  
Quantity per package: **20 pcs.**  
Colors: **8**  
Left, Right



**Drift 224**  
Universal outer modular  
barge flashing

Total width: **381 mm**  
Effective width: **350 mm**  
Height: **224 mm**  
Depth: **32 mm**  
Sheet thickness: **0,5 mm**  
Quantity per package: **20 pcs.**  
Colors: **8**  
Left, Right

Material: Steel sheet S280 galvanized Z275 with organic coatings X-MATT SP30, D-MATT SP35



**Drift 224**  
Universal outer modular  
barge flashing

**New**  
in offer

**Drift 150**  
**Drift 180**  
**Drift 270**  
Universal bottom modular  
barge flashing






# DEDICATED ACCESSORIES



Product has received  
WIPO registration  
certificate



## Ridge cap GS-LUX

Venecja, Bella Sara, Rialto, Ferrara


Total width: 1205 mm  
Effective width: 1145 mm



## Ridge cap GSC-TOP

Como

Total width: 1030 mm  
Effective width: 940 mm



## Eaves vent profile

Venecja, Murano, Bella Sara,  
Rialto, Ferrara

Length: 1200 mm  
Thickness: 0,5 mm  
Height: 27/31 mm  
Ventilation area: 132 cm<sup>2</sup>  
Quantity per package: 42 pcs.



## Eaves vent profile


Como

Length: 1200 mm  
Thickness: 0,5 mm  
Height: 21/24 mm  
Ventilation area: 132 cm<sup>2</sup>  
Quantity per package: 60 pcs.




**Ridge cap GSM-TOP**  
Murano

Total width:	1950 mm
Effective width:	1820 mm




**Ridge cap GSM-FLAT**  
Murano

Total width:	2000 mm
Effective width:	1950 mm



**Ridge cap GSV-30**  
Venecja

Total width:	1950 mm
Effective width:	1840 mm



**Ridge cap GSM-30**  
Murano

Total width:	1945 mm
Effective width:	1815 mm






# DEDICATED ACCESSORIES



**Stop end  
ZP-LUX**



**Stop end  
ZP-FLAT**



**Stop end  
ZP-TOP**



**Stop end  
ZP-LUX**  
for ridge cap GS-LUX

---

Width: 297 mm  
 Height: 264 mm  
 Depth: 65 mm  
 Sheet thickness: 0,7 mm  
 Quantity per package: 8 pcs.  
 (vacuum sealed in a pack of 2pcs.)  
 Colors: 10



**Stop end  
ZP-FLAT**  
for ridge cap GSM-FLAT

---

Width: 272 mm  
 Height: 125 mm  
 Depth: 35 mm  
 Sheet thickness: 0,5 mm  
 Quantity per package: 10 pcs.  
 Colors: 16



**Stop end  
ZP-TOP**  
for ridge cap GSM-TOP and GSC-TOP

---

Width: 248 mm  
 Height: 142 mm  
 Depth: 35 mm  
 Sheet thickness: 0,5 mm  
 Quantity per package: 10 pcs.  
 Colors: 16

Material: sheet steel S280 galvanized Z275, with organic coating SP35



Stop end  
ZS-FLAT



Stop end  
ZS-LUX



**Stop end ZS-FLAT**  
for ridge cap GSM-FLAT

Width:	300 mm
Height:	102 mm
Depth:	232 mm
Sheet thickness:	0,7 mm
Quantity per package:	12 pcs.
Colors:	10



**Stop end ZS-LUX**  
for ridge cap GS-LUX

Width:	308 mm
Height:	107 mm
Depth:	274 mm
Sheet thickness:	0,7 mm
Quantity per package:	12 pcs.
Colors:	10

Material: sheet steel S280 galvanized Z275, with organic coating SP35